

Lightbox countertop cooler

MK-CR-MF-L050-LB | A compact branded drinks display at checkout or a service counter.

**Reference temperature**

2 to 8°C (35 to 46°F)

Reference dimensions

420x460x805 mm

Reference loading

Not published for this record.

Catalogue product view. Appearance and supplied configuration are confirmed with your order.

Use these values to shortlist the cabinet. Dimensions retain the catalogue order; confirm the dimension axes and all installation clearances. The reference temperature is not a guarantee for every ambient condition or product.

Before installation

Complete height including the lightbox and the dimension order.

Counter load, door swing, ventilation and service clearances.

Loading basis

No reference can count is published for this record. Send your actual package dimensions for a model-specific proposal.

File basis


Existing MARKOOL catalogue values and product image, reviewed for this pack on 2026-10-17. Pages 2-3 and accompanying SVG files are proposed sales concepts. Controlled engineering drawings, print dielines and physical loading validation are not supplied in this pack.

Make the display your own.

Editable artwork direction for Ref. 004. Replace YOUR BRAND with your own mark.

MARKKOOL / 004 / EDITABLE BRAND COMPOSITION

DESIGN CONCEPT - NOT TO SCALE - NOT A PRODUCTION TEMPLATE



LIGHTBOX COMPOSITION

One clear mark. Match the side-panel palette.

Artwork proportions are conceptual.

Trim, bleed and safe areas need an approved dieline.

Lightbox face - Lead with one logo and a short campaign message.

Confirm the visible opening, artwork trim, illumination and print material.

Solid side panels - Use the side visible to approaching shoppers.

Confirm panel outlines, edges and ventilation exclusions.

Lower front panel - Consider a small supporting message.

Confirm the usable area and keep the door, feet and service access clear.

Edit the supplied SVG. Text and colours remain editable vector objects. Its 1000 x 520 coordinate space is an illustration canvas, not millimetres. Adapt the design to the approved model-specific print dieline before production.


Prepare once: selected model, logo file, brand colours, campaign message and intended customer-facing side. The enclosed TXT is optional; an ordinary project brief is welcome.

Plan around your product.

Use the layout to discuss arrangement, then validate fit with your actual packaging.

MARKKOOL / 004 / PACK-OUT DISCUSSION LAYOUT

DESIGN CONCEPT - NOT TO SCALE - NOT A PRODUCTION TEMPLATE



CUSTOMER / DOOR SIDE

SINGLE LEVEL / TOP VIEW

Example: 3 across x 4 deep x 3 levels.

Target quantity: 36 (hypothetical).

Clear level: 179 x 237 x 144 mm.

Add model-specific air and access space.

Hypothetical packaging example. Required space is calculated; cabinet fit and capacity are not verified.

Inputs for this cabinet

Clear shelf width, depth and height at every usable level, including the bottom deck.

Actual package envelope and orientation; door removal path and front access.

Space needed around the upper fan, shelf supports and air paths.

Receive a useful proposal: package dimensions and orientation; facings and proposed quantities; usable-space source; remaining assumptions; and any physical fit or cooling checks still required. Can volume alone does not define package geometry.

Worked example - assumed inputs, not measured cabinet space

Assume 53 mm diameter x 134 mm high packages, 5 mm gaps, 5 mm edge margins and 10 mm top clearance. 3 across x 4 deep x 3 levels gives a target of 36. Each level needs at least 179 x 237 x 144 mm clear space, before extra air paths, supports and retrieval allowances. Shelf thickness is excluded. This does not validate the catalogue loading figure.

Free branded mockups

Receive your first branded mockup within 2 days after we receive your selected model, logo and design brief.

Free pack-out planning. Send actual package dimensions, your preferred cabinet and display requirements. Timing is confirmed separately; the two-day commitment covers the first visual mockup only. Samples, tooling and production are quoted separately.

[Request a free mockup](#) | [Request a free pack-out proposal](#)